

Shamir Relax™

Product Availability and Markings

Material	Index	Power Range	Nominal Base Curve*	Color	Fitting Height (X)	Invisible Marking	
Hard Resin	1.5	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	Clear	16mm	15 S RLX	S 250
Transitions®	1.5	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	Gray & Brown	16mm	TR S RLX	S 250
Transitions® XTRActive™	1.5	-12.25 to +6.00	0.5, 2, 3.75, 4.25, 5.25, 6, 7, 8	Gray	16mm	X5 S RLX	S 250
DLC™ (Trivex)	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	Clear	16mm	TX S RLX	S 250
DLC™ (Trivex) Transitions®	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	Gray & Brown	16mm	TTX S RLX	S 250
DLC™ (Trivex) Polarized	1.53	-13.25 to +6.00	0.5, 2, 3, 4, 5, 6, 7	Gray & Brown	16mm	PTX S RLX	S 250
1.56	1.56	-14.00 to +6.50	0.5, 2, 3, 4, 5, 6, 7	Clear	16mm	56 S IX	S 250
Polycarbonate	1.586	-14.00 to +8.00	0.5, 2, 3, 4, 5.25, 6.25, 7.5, 8.5	Clear	16mm	PC S IX	S 250
Superlite™ 1.6	1.6	-14.00 to +8.00	0.5, 2, 3, 4, 5, 6, 7, 8	Clear	16mm	16 S IX	S 250
Superlite 1.67	1.67	-16.75 to +8.25	0.5, 2, 3, 4, 5, 6, 7, 8	Clear	16mm	67 S IX	S 250

* The true base curve can be selected from a range of curves that has been defined in the Freeform Software.



ReCreating Perfect Vision®